

Universal Carrier UC59 and UC59M

For the ALOS Z43, Minolta RP 603Z, 605Z, 606Z, 607Z, MS1000, MS2000, MS3000, MicroSP2000, MicroSP300, MS6000, MS7000, Bell+Howell ABR 2300, 2400D, 2600, 2700, 2800D, 3000D Reader-Printers / Microform-Scanners

Universal Carrier UC59 (motorized) and UC59M (manual) allow you to meet all your microform retrieval needs with just one carrier. They are highly versatile, yet economical carriers that are the ideal choice when fast and easy switching between fiche and rollfilm is required. They are designed to work with a variety of ALOS, Minolta and Bell+Howell microfilm reader-printers and microform-scanners. Both units support 16mm and 35mm film in open reels, microfiche, aperture cards and jackets. With an optional adapter, 3M-type cartridges are also accepted.



The UC59 has a motorized film transport with up-front push-button controls, built into the handle, with three convenient speeds. Slow motion, scan and high speed are available for forward and reverse motion. High speed at 10 feet (3m) per second and a remarkably smooth slow scanning motion, make it quick and simple to locate the desired film location. At high speed the film is protected from scratching by open glass flats.

As an accessory to the motorized UC59, a variable speed control box is available for variable film speed from 0 to 10 feet (3m) per second and hands-free operation. For microfilm users who desire a universal carrier with only the variable speed control knob option, the UC50 is the ideal unit.

A low cost manual model, the UC59M, is also available

Specifications for the UC59

Formats Accepted:

16/35mm rollfilm in open reels,
Microfiche, aperture cards, jackets and
M-type cartridges (with optional adapter kit)

Film Loading:

Manual

Film Scanning:

Manual vertical adjustment. Motorized horizontal variable speed, operated by push-button controls.

Film Scanning Speed:

0 to 10 feet (3m) per second

Retrieval:

Motorized

Power Consumption:
24W

Power Source:
DC Voltage from main unit

Safety Approval:
UL Listed

Dimensions:
21 1/2" W (546mm)
12 1/2" D (317mm)
5" H (127mm)

Weight:
15.5 lbs, (7.03 kg)

Accessories:
16/35mm quick load take up reel (included)
M-type cartridge adapter kit (optional)
Variable speed control knob (optional)

Specifications for the UC59M

Formats Accepted:
16/35mm rollfilm in open reels,
Microfiche, aperture cards, jackets and
M-type cartridges (with optional adapter kit)

Film Loading:
Manual

Film Scanning:
Manual vertical and horizontal adjustment

Film Scanning Speed:
Manual

Retrieval:
Manual

Power Consumption:
N/A

Power Source:
N/A

Dimensions:
23" W (584mm)
12 1/2" D (317mm)

5" H (127mm)

Weight:

13 lbs, (5.9 kg)

Accessories:

16/35mm quick load take up reel (included)

M-type cartridge adapter kit (optional)